UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/713,625	11/13/2003	Lawrence J. Karr	50037.0065USD2	2408
27488 7590 10/16/2008 MERCHANT & GOULD (MICROSOFT) P.O. BOX 2903			EXAMINER	
			NGUYEN, DUC M	
MINNEAPOLIS, MN 55402-0903			ART UNIT	PAPER NUMBER
			2618	
			MAIL DATE	DELIVERY MODE
			10/16/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/713,625	KARR ET AL.
Office Action Summary	Examiner	Art Unit
	DUC M. NGUYEN	2618
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING DESTRICTION - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 136(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 15 S This action is FINAL . 2b) ☑ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under	s action is non-final. ance except for formal matters, pr	
Disposition of Claims		
4) Claim(s) 12-19 and 44-55 is/are pending in the 4a) Of the above claim(s) is/are withdrast 5) Claim(s) is/are allowed. 6) Claim(s) 12-19, 44-55 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers	awn from consideration.	
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) acceptable and applicant may not request that any objection to the Replacement drawing sheet(s) including the correct to by the E	cepted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* See the attached detailed Office action for a list	nts have been received. Its have been received in Applicat prity documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:	ate

Application/Control Number: 10/713,625 Page 2

Art Unit: 2618

DETAILED ACTION

This action is in response to applicant's response filed on 9/15/08. Claims 12-19, 44-55 are now pending in the present application

Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

2. Claims **12-19**, **44-45**, **47-55** are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-15 of U.S. Patent No. **7,349,675**, hereafter **US'675**, in view of **Lorang** et al (US 5,548,814).

Regarding claim **12**, **US'675** teaches an encoding method for a broadcast transmitter, wherein the encoder encodes the extracted data packets into a first portion of encoded data streams for transmission at a first latency and a second portion of encoded data streams for transmission at a second latency, wherein the second latency

Application/Control Number: 10/713,625

Art Unit: 2618

is lower than the first latency; and interleaving said first and second portions over a broadcast frame that includes sub frames, wherein each sub frame includes data associated with the first portion and data associated with the second portion that are interleaved together, and wherein each of the extracted data packets that are associated with the first portion is interleaved across multiple subframes (see claims 1, 10). Although US'675 would implicitly teach input/output controller and a buffer memory (see claim 7), a subcarrier generator (see claim 9), US'675 fails to teach a satellite interface, and a precision-time base coupled to a control processor, one skilled in the art would recognize such above components are well-known components for a broadcast transmitter as disclosed by Lorang (see Fig. 3, ref. 72, col. 7, lines 1-8 and col. 9, lines 50-58, wherein a precision time base coupled to a control processor 72 is just an inherent component in order to provide clock signals to the processors and/or oscillators for operating the transmitter device). Therefore, it would have been obvious to one skilled in the art to modify US'675 for providing components as claimed, in order for a broadcast transmitter to receive data packets from a satellite for re-assembling, encoding, synchronizing and re-transmitting scheduled packet data streams to mobile devices.

Page 3

Regarding claim **13**, **US'675** in view of **Lorang** would teach the control processor includes at least one of a microprocessor, microcontroller, programmable logic array, programmable gate array, and an ASIC as claimed (see Lorang, Fig. 10 regarding baseband processor components of the Rx/Tx device).

Regarding claim **14**, it would have been obvious to one skilled in the art at the time the invention was made to modify **US'675** and Lorang to utilize field-programmable gate array for the input-output controller, for utilizing advantages of the field-programmable gate array such as low cost, fast turn around (i.e, designs can be placed on an FPGA in typically a few minutes).

Regarding claim **15**, **US'675** in view of **Lorang** would teach the first input interface further comprises at least one of an R5-422 interface, an R5-232 interface, an IEEE-1394 interface, a USB interface, or an Ethernet interface as claimed (see Lorang, col. 6, lines 60-61).

Regarding claim **16**, it would have been obvious to one skilled in the art that the Ethernet interface as disclosed by Lorang (see col. 6, lines 60-61) could also be used for the second interface (84) as well, for interfacing to the PSTN/PDN network (see col. 7, lines 4-8).

Regarding claim 17, since the use of 1-ppm oscillator as a precision time base is well known in the art, it would have been obvious to one skilled in the art at the time the invention was made to modify US'675 and Lorang to provide a l-ppm oscillator for the precision time base as claimed, for utilizing advantages of this standard 1-ppm oscillator such as cost.

Regarding claim **18**, the claim is interpreted and rejected for the same reason as set forth in claim 12 above. In addition, **US'675** would implicitly teach a modulator and a D/A converter as claimed in order to transmit a modulated analog signal to mobile devices. Further, it would have been obvious to one skilled in the art at the time the

Art Unit: 2618

invention was made to modify US'675 to utilize a filter as claimed, for further improving the signal quality of the transmit signals

Regarding claim **19**, it would have been obvious to one skilled in the art at the time the invention was made to modify **US'675** and Lorang to utilize field-programmable gate array for the modulator, for utilizing advantages of the field-programmable gate array such as low cost, fast turn around (i.e, designs can be placed on an FPGA in typically a few minutes).

Regarding claim **44**, it is rejected for the same reason as set forth in claim 12 above regarding the FM subcarrier signal generator. In addition, **US'675** in view of **Lorang** as modified would disclose data source with formatted data (see source PC 48 in Fig. 11 and col. 5, lines 15-21), a mobile device that is configured to receive data in a broadcast mode and a localcast mode (see Fig 11 and col. 12, lines 42-45), and that the FM subcarrier baseband signals is transmitted to the mobile device in accordance with a predetermined schedule (see col. 4, lines 60-62 and col. 5, lines 20-21), such that the mobile device receives the FM subcarrier baseband signals when in the broadcast mode (see Fig 11 and col. 12, lines 42-45).

Regarding claim **45**, it is rejected for the same reason as set forth in claim 44 above. In addition, as admitted by applicant in [0036], a High-Level Data Link Control (HDLC) protocol is a standardized, bit oriented, switched and non-switches protocol, and can be found in ISO standards such as ISO 3309 or ISO 4335. Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify

Art Unit: 2618

US'675 and Lorang to utilize a HDLC protocol as claimed, for utilizing advantages of a standardized protocol such as popularity and cost.

Regarding claims **47**, **48**, **49**, they are rejected for the same reason as set forth in claim 12 above. In addition, **US'675** would implicitly teach encoding hashing (or interleaving), dividing into segments and placing packets within a frame as claimed (see claims 3, 4, 12).

Regarding claim **50**, the claim is interpreted and rejected for the same reason as set forth in claim 48 above. In addition, **US'675** in view of **Lorang** as modified would disclose commands (i.e, specified time and frequency of the message, see Lorange col. 5, lines 20-21), hashing (or interleaving, see Chadwick, Fig. 2), filtering and amplifying (see Lorange, Fig. 12). As to the claimed limitation regarding the time-diversity stages, it is noted that the use of a transmit diversity is well known in the art (i.e, frequency diversity, space diversity, coded diversity, etc). Therefore, it would have been obvious to one skilled in the art at the time the invention was made to modify Lorang to transmit the message with time-diversity stages as claimed, for reducing/minimizing signal reception errors caused by fading.

Regarding claim **51**, the claim is interpreted and rejected for the same reason as set forth in claim 45 above regarding the HDLC protocol.

Regarding claims **52-53**, the claim is interpreted and rejected for the same reason as set forth in claims 48-49 above.

Regarding claim **54**, the claim is interpreted and rejected for the same reason as set forth in claim 50 above. In addition, **US'675** in view of **Lorang** as modified would

teach the subcarrier signal generator is further arranged to modulate data corresponding to the output image symbol by symbol under the transmit clock timing (see claim 15).

Regarding claim **55**, the claim is interpreted and rejected for the same reason as set forth in claim 50 above. In addition, since the use of quadrature phase shift keying (QPSK) modulator among other modulators is well known in the art, it would have been obvious to one skilled in the art at the time the invention was made to modify US'675 to utilizing quadrature phase shift keying as claimed, as an alternative of obvious design choices.

3. Claim **46** is rejected under 35 U.S.C. 103(a) as being unpatentable by **US'675** in view of **Lorang**, and further in view of **Campana** (US **6,567,397**).

Regarding claim **46**, it is rejected for the same reason as set forth in claim 44 above. In addition, since the use of a wildcard value in the address fileld to enable deliver of data to a group of receivers is well known in the art as disclosed by **Campana** (see col. 2, lines 60-61), it would have been obvious to one skilled in the art at the time the invention was made to modify **US'675** and Lorang to create an address field corresponding to the formatted data, such that wildcard values inserted into the address field, to enable deliver of data to a group of paging receivers, thereby allow fewer channels to handle multiple broadcast transmitters (i.e., a single channel can be used to broadcast a message to a plurality of receivers).

Application/Control Number: 10/713,625 Page 8

Art Unit: 2618

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

See the attached PTO-892.

5. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:

(571) 273-8300 (for **formal** communications intended for entry)

(571)-273-7893 (for informal or draft communications).

Hand-delivered responses should be brought to Customer Service Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Any inquiry concerning this communication or communications from the examiner should be directed to Duc M. Nguyen whose telephone number is (571) 272-7893, Monday-Thursday (9:00 AM - 5:00 PM).

Or to Nay Maung (Supervisor) whose telephone number is (571) 272-7882.

/Duc M. Nguyen/

Primary Examiner, Art Unit 2618

Oct 8, 2008